

# SAFETY DATA SHEET

Supersedes Date: 18-Aug-2015

Revision Date: 18-Aug-2015

Version: 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Label Name <u>Other means of identification</u> UPC Code(s) Product code Synonyms Bridgepoint Systems – Avenge Pro Not applicable CS04 None

### Recommended use of the chemical and restrictions on use

Recommended Use	Specialty spot cleaner.	
Uses advised against	Follow label instructions.	Not recommended for any use except intended use.

Manufacturer Address

Salt Lake City, UT 84123

**Bridgepoint Systems** 

4282 South 590 West

USA

### Supplier's details

### **Supplier Address**

Bridgepoint Systems 4282 South 590 West Salt Lake City, UT 84123 USA

### **Emergency telephone number**

Company Phone Number1-800-658-5314Company Emergency PhoneUnited States: 1-800-535-NumberInternational: 1-352-323-3Emergency telephonePoison Control 1-800-222

1-800-658-5314 United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week) International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week) Poison Control 1-800-222-1222 (24 hour)

## 2. HAZARDS IDENTIFICATION

### **Classification**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2


## GHS Label elements, including

precautionary statements

**Emergency Overview** 

## Warning

### Hazard Statements Causes skin irritation Causes serious eye irritation



## Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

### Hazards not otherwise classified (HNOC)

### Other information

 Causes mild skin irritation General Hazards

Keep out of reach of children

See Section 11 for additional Toxicological Information

10.988% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
Propylene glycol monomethyl ether	107-98-2	1 - 5	*
ALCOHOLS, C9-11, ETHOXYLATED	68439-46-3	1 - 5	*
Sodium carbonate	497-19-8	1 - 5	*
Proprietary Polymer	Proprietary	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

### First aid measures for different exposure routes

General advice	If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin contact	Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is not required.
Toxic - Inhalation	Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. Artificial respiration and/or oxygen may be necessary. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

	to an unconscious person. Consult a physician. Do NOT induce vomiting.	
Protection of First-aiders	Use personal protective equipment.	
Most important symptoms/effects, acute and delayed		
Main Symptoms	No information available.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically.	

## **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical No information available.

Hazardous Combustion No information available. Products

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Advice for emergency responders	For personal protection see section 8.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and materials for containn	nent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapors or spray mist.	
Conditions for safe storage, inclu	uding any incompatibilities	
Technical measures/Storage conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.	
Packaging material	Keep product in packaging product is initially sold in.	
Incompatible products	None known based on information supplied.	

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propylene glycol monomethyl ether 107-98-2	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

#### **Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering Measures Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Tightly fitting safety goggles. Face-shield.

Skin and body protection No special protective equipment required.

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved
	respiratory protection should be worn. Positive-pressure supplied air respirators may be
	required for high airborne contaminant concentrations. Respiratory protection must be
	provided in accordance with current local regulations.

## Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Physical state Appearance Color	liquid CLEAR LIQUID No information available	Odor Odor threshold	Lemon No information available
<u>Property</u> pH	<u>Values</u> 9.5	Remarks • Method	

Melting point	No information available
Boiling point/boiling range	> 100 °C / 212 °F
Flash Point	> 94 °C / > 201 °F
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limits in Air	
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapor pressure	17.1
Vapor density	0.732
Specific Gravity	1.055
Water solubility	Soluble in water
Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	200 cps
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing Properties	No information available
Other information	
Softening point	No information available
Molecular weight	No information available

Molecular weight VOC Content(%) Density VALUE Bulk Density VALUE

No information available No information available No information available No information available (Air = 1.0)

## **10. STABILITY AND REACTIVITY**

### Reactivity

**Chemical stability** Stable under recommended storage conditions. Possibility of hazardous reactions None under normal processing. Hazardous Polymerization None under normal processing.

**Conditions to Avoid** Extremes of temperature and direct sunlight. **Incompatible Materials** None known based on information supplied. Hazardous Decomposition Products None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

## **Product Information**

<b>Toxic - Inhalation</b> Avoid breathing vapors or mists. May cause irritation of respiratory tract.			
Eye contactAvoid contact with eyes. Irritating to eyes.			
Skin contact Avoid contact with skin. Irritating to skin.			
Ingestion	Do not taste or swallow. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
Propylene glycol monomethyl ether 107-98-2	= 5000 mg/kg (Rat)	= 13 g/kg (Rabbit)	> 6 mg/L (Rat)4 h	
ALCOHOLS, C9-11, ETHOXYLATED 68439-46-3	= 1400 mg/kg (Rat)= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)		
Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	2210 mg/kg ( rat )	= 2300 mg/m <sup>3</sup> (Rat)2 h	

### Information on toxicological effects

Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.		
Eye damage/irritation	Irritating to eyes.		
Sensitization	No information available.		
Germ Cell Mutagenicity	No information available.		
Carcinogenicity	No information available.		
Reproductive toxicity	No information available.		
Developmental Toxicity	No information available.		
STOT - single exposure	No information available.		
STOT - repeated exposure	No information available.		
Chronic toxicity	Avoid repeated exposure.		
Aspiration hazard	No information available.		

### Numerical measures of toxicity - Product Information

 Unknown acute toxicity
 10.988% of the mixture consists of ingredient(s) of unknown toxicity

 The following values are calculated based on chapter 3.1 of the GHS document
 .

 ATEmix (oral)
 61871

 ATEmix (dermal)
 52578

 ATEmix (inhalation-dust/mist)
 186.1

## **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

13.026% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Propylene glycol monomethyl ether 107-98-2			23300: 48 h Daphnia magna mg/L EC50
Sodium carbonate 497-19-8			265: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient	
Propylene glycol monomethyl ether	-0.437	
107-98-2		

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

### Waste treatment

Waste Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Sodium carbonate	Corrosive	
497-19-8		

## **14. TRANSPORT INFORMATION**

DOT

Not regulated

## 15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol monomethyl ether	Х	Х	Х
107-98-2			

### U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazard 2	Flammability 1	Instability 0	Physical and chemical hazards -
HMIS	Health hazard 2	Flammability 1	Physical Hazard (	
Prepared By		oint Systems mental Health & Safety		
Revision Date	18-Aug-	-		
<b>Revision Note</b> No information available				

**Disclaimer** 

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet