



Revision Date: 29-Oct-2025

# Safety Data Sheet

## Spartan Chemical Company, Inc.

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

**Product Name:** ENDURASTRIP  
**Product Code:** 0067  
**Recommended Use:** Stripping solution  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
www.spartanchemical.com

**24 Hour Emergency Phone**

**Numbers:**  
**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

**GHS Classification**

Acute toxicity - Oral: Category 4  
Acute toxicity - Inhalation (Dusts/Mists) Category 4  
Skin corrosion/irritation: Category 1 Sub-category B  
Serious eye damage/eye irritation: Category 1  
Corrosive to metals: Category 1

**Label elements**

**Signal word:**

**Symbols:**

**Danger**



**Hazard statements:**

Harmful if swallowed  
Harmful if inhaled  
Causes severe skin burns and eye damage  
May be corrosive to metals

**Physical hazards:**

**Precautionary Statements - Prevention:**

Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Do not breathe dust/fume/gas/mist/vapors/spray  
Wear protective gloves/clothing and eye/face protection  
Keep only in original packaging

**Precautionary Statements - Response:**

**IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.**

**Eyes:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

<b>Skin:</b>	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse.
<b>Inhalation:</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<b>Ingestion:</b>	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
<b>-Specific Treatment:</b>	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
<b>Spill:</b>	Absorb spillage to prevent material damage
<b>Precautionary Statements - Storage:</b>	Store locked up. Store in corrosion resistant container with a resistant inner liner.
<b>Precautionary Statements - Disposal:</b>	Dispose of contents and container in accordance with local, state and federal regulations.
<b>Hazards not otherwise classified (HNOC):</b>	Not applicable
<b>Other hazards:</b>	<ul style="list-style-type: none"> <li>• Corrosive</li> <li>• Harmful contact may not cause immediate pain.</li> <li>• Harmful if absorbed through skin.</li> <li>• Take off and destroy contaminated shoes.</li> <li>• Keep out of reach of children</li> <li>• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.</li> <li>• May be harmful in contact with skin</li> </ul>

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Water	7732-18-5	30-60
2-Butoxyethanol	111-76-2	10-30
Benzyl Alcohol	100-51-6	5-10
Ethanolamine	141-43-5	3-7
Sodium Xylenesulfonate	1300-72-7	1-5
Sodium Hydroxide	1310-73-2	1-5
Cyclocarboxypropyloleic Acid	53980-88-4	1-5
Undeceth-3	34398-01-1	0.1-1
Potassium Alkanoate	PROPRIETARY	0.1-1
3-Isodecyloxypropanamine Chloride Ethoxylated	68478-94-4	0.1-1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

<b>Eye contact:</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
<b>Skin contact:</b>	Wash with soap and water. If skin irritation occurs: Get medical attention.
<b>Inhalation:</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or physician if you feel unwell.
<b>Ingestion:</b>	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
<b>Note to physicians:</b>	Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media:</b>	Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire.
<b>Specific Hazards Arising from the Chemical:</b>	Dried product is capable of burning. Combustion products are toxic.
<b>Hazardous Combustion Products:</b>	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
<b>Protective Equipment and</b>	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

**Precautions for Firefighters:** protective gear. Cool fire-exposed containers with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.  
**Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.  
**Methods for cleaning up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

## 7. HANDLING AND STORAGE

**Advice on safe handling:** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.  
**Storage Conditions:** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep from freezing.  
**Incompatible materials** Reactive metals such as aluminum, zinc and tin. Strong acids.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits:

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) Sk* Sk*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Ethanolamine 141-43-5	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup> (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Engineering Controls:** Provide good general ventilation.  
 If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.  
 Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.

### Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear splash goggles. For severe use-conditions, wear a face shield over the goggles.  
**Skin and body protection:** Wear rubber or other chemical-resistant gloves. Use of impervious apron, boots and other protective equipment should be considered in order to prevent or minimize contact with this product.  
**Respiratory protection:** Not required with expected use.  
 If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.  
**General hygiene considerations:** Wash hands and any exposed skin thoroughly after handling.  
 See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

**Physical state:** Liquid

**Color:** Clear  
**Odor:** Pungent  
**Odor Threshold:** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH:</b>	13.3-14.0	
<b>Melting Point / Freezing Point:</b>	No data available	
<b>Boiling Point / Boiling Range:</b>	100 °C / 212 °F	
<b>Flash Point:</b>	> 99 °C / 210 °F	ASTM D56
<b>Evaporation Rate:</b>	< 1	(Butyl acetate = 1)
<b>Flammability (solid, gas):</b>	No data available	No information available
<b>Flammability Limits in Air:</b>		No information available
<b>Upper Flammability Limit:</b>	No data available	
<b>Lower Flammability Limit:</b>	No data available	
<b>Vapor Pressure:</b>	No data available	No information available
<b>Vapor Density:</b>	No data available	No information available
<b>Relative Density:</b>	1.025	
<b>Solubility(ies):</b>	Soluble in water	
<b>Partition Coefficient:</b>	No data available	No information available
<b>Autoignition Temperature:</b>	Not applicable	
<b>Decomposition Temperature:</b>	Not applicable	
<b>Kinematic Viscosity:</b>	No information available	No information available
<b>Particle characteristics:</b>	Not applicable	

## 10. STABILITY AND REACTIVITY

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.  
**Chemical stability:** Stable under normal conditions.  
**Possibility of hazardous reactions:** Not expected to occur with normal handling and storage.  
**Conditions to Avoid:** Extremes of temperature and direct sunlight  
**Incompatible materials:** Strong oxidizing agents. Strong acids.  
**Hazardous decomposition products:** Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.  
**Symptoms of Exposure:**  
    **Eye contact:** Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.  
    **Skin contact:** Pain, redness, blistering and possible chemical burn.  
    **Inhalation:** Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.  
    **Ingestion:** Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.

### Immediate, Delayed, Chronic Effects

**Product Information:** Data not available or insufficient for classification.  
**Target organ effects:** Blood. Central nervous system. Eyes. hematopoietic system. Kidney. Liver. Respiratory system. Skin.

### Acute toxicity

#### **Numerical measures of toxicity:**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,477.20 mg/kg
ATEmix (dermal)	2,695.30 mg/kg
ATEmix (inhalation-vapor)	30.40 mg/l
ATEmix (inhalation-dust/mist)	4.22 mg/l

### **Component Information:**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50

Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h = 486 ppm ( Rat ) 4 h
Benzyl Alcohol 100-51-6	= 1230 mg/kg ( Rat )	= 2 g/kg ( Rabbit )	> 4178 mg/m <sup>3</sup> ( Rat ) 4 h
Ethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1000 mg/kg ( Rabbit )	> 1.3 mg/L ( Rat ) 6 h
Sodium Xylenesulfonate 1300-72-7	> 16.2 g/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
Sodium Hydroxide 1310-73-2	= 325 mg/kg ( Rat )	= 1350 mg/kg ( Rabbit )	-
Cyclocarboxypropyloleic Acid 53980-88-4	= 6176 mg/kg ( Rat )	-	-

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111-76-2	-	LC50: =1490mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: =2950mg/L (96h, <i>Lepomis macrochirus</i> )	-	EC50: >1000mg/L (48h, <i>Daphnia magna</i> )
Benzyl Alcohol 100-51-6	-	LC50: =460mg/L (96h, <i>Pimephales promelas</i> ) LC50: =10mg/L (96h, <i>Lepomis macrochirus</i> )	-	EC50: =23mg/L (48h, water flea)
Ethanolamine 141-43-5	EC50: =15mg/L (72h, <i>Desmodesmus subspicatus</i> )	LC50: =227mg/L (96h, <i>Pimephales promelas</i> ) LC50: =3684mg/L (96h, <i>Brachydanio rerio</i> ) LC50: 300 - 1000mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: 114 - 196mg/L (96h, <i>Oncorhynchus mykiss</i> ) LC50: >200mg/L (96h, <i>Oncorhynchus mykiss</i> )	-	EC50: =65mg/L (48h, <i>Daphnia magna</i> )
Sodium Hydroxide 1310-73-2	-	LC50: =45.4mg/L (96h, <i>Oncorhynchus mykiss</i> )	-	-

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Mobility in Soil:** No information available

**Other adverse effects:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues/unused products:** This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

**Contaminated packaging:** Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

**UN/ID No:** UN1760  
**Proper Shipping Name:** Corrosive liquids, n.o.s., (contains sodium hydroxide)  
**Hazard Class:** 8  
**Packing Group:** II  
**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**IMDG:**

**UN number or ID number:** UN1760  
**Proper Shipping Name:** Corrosive liquids, n.o.s., (contains sodium hydroxide)  
**Hazard Class:** 8  
**Packing Group:** II

## 15. REGULATORY INFORMATION

**TSCA** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313**

This product does not contain listed substances above the "de minimus" level

**2-Butoxyethanol - 111-76-2**

CAS No 111-76-2 applies to R-(OCH<sub>2</sub>CH<sub>2</sub>)<sub>n</sub>-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate Chemical Category N230

**SARA 311/312 Hazard Categories**

<b>Acute health hazard:</b>	Yes
<b>Chronic Health Hazard:</b>	Yes
<b>Fire hazard:</b>	No
<b>Sudden release of pressure hazard:</b>	No
<b>Reactive Hazard:</b>	No

**California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

## 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health hazards:</b> 3	<b>Flammability:</b> 0	<b>Instability:</b> 0	<b>Special hazards:</b> -
<b>HMIS</b>	<b>Health hazards:</b> 3*	<b>Flammability:</b> 0	<b>Physical hazards:</b> 0	

**Revision Date:** 29-Oct-2025  
**Revision Note:** Section, 2, 3, 7, 9, 11, 12, 13

**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**